

STARTEX CHEMICAL, INC. -- PAINT THINNER

=====

MSDS Safety Information

=====

FSC: 6850
NIIN: 00-281-1985
MSDS Date: 03/05/1996
MSDS Num: CDGZB
Product ID: PAINT THINNER
MFN: 01
Responsible Party
Cage: 0YFV5
Name: STARTEX CHEMICAL, INC.
Box: 3087
City: CONROE TX 77305
Info Phone Number: 409-539-6244
Emergency Phone Number: 800-424-9300
Review Ind: Y
Published: Y

=====

Contractor Summary

=====

Cage: 0YFV5
Name: STARTEX CHEMICAL INC
Address: 5 HACKBERRY LANE
Box: 3087
City: CONROE TX 77305
Phone: 409-539-6244

=====

Item Description Information

=====

Item Manager: GSA
Item Name: DRY CLEANING SOLVENT
Unit of Issue: GL
UI Container Qty: 1 GL CN

=====

Ingredients

=====

Cas: 8052-41-3
RTECS #: WJ8925000
Name: MINERAL SPIRITS
Other REC Limits: NIOSH350MG/M3;C 1800
OSHA PEL: 500 PPM
ACGIH TLV: 100 PPM

Cas: 111-84-2
RTECS #: RA6115000
Name: NONANE (LC50 4 HR RATS 3200 PPM)
% Wt: 1-6
Other REC Limits: NONE RECOMMENDED
OSHA PEL: NOT ESTABLISHED200 P
ACGIH TLV: 200 PPM

Cas: 111-65-9
RTECS #: RG8400000
Name: OCTANE (LC50 13500 PPM)
% Wt: 1-3

Other REC Limits: NIOSH 75PPM;C NONE R
OSHA PEL: 500 PPM
ACGIH TLV: 300 PPM/STEL 375

Cas: 95-63-6
RTECS #: DC3325000
Name: 1,2,4-TRIMETHYLBENZENE (SARA 313)
% Wt: 1-5
Other REC Limits: NIOSH 100PPM/C 200
OSHA PEL: NOT ESTABLISHED
ACGIH TLV: 25 PPM/STEL 150
=====

Health Hazards Data

=====

Route Of Entry Inds - Inhalation: YES
Skin: YES
Ingestion: YES
Carcinogenicity Inds - NTP: NO
IARC: NO
OSHA: NO
Effects of Exposure: EYE: SEVERE IRRIT/REDNESS/TEARING/BLURRED
VISION/CONJUNCTIVITIS. SKIN: MODERATE
IRRIT/DEFATTING/REDNESS/ITCHING/INFLAM/DERMATITIS/POSSIBLE SECONDARY
INFECTION. SYMPTOMS MAY BE DELAYED. INHAL: NASAL/RESP TRACT IRRIT. CNS
EFFECTS (EXCITATION/ EUPHORIA). DIZZINESS/DROWSINEAA/BLURRED
VISION/FATIGUE/NAUSEA/HEADACHE/LOSS*

Signs And Symptions Of Overexposure:

*REFLEX/TREMMORS/CONVULSIONS/SEISURES/UNCONSCIOUSNESS/COMA/DEATH.
ENEMIA/IRREG HEARTBEAT/BEHAVIORAL CHANGES. INGEST: HARMFUL/FATAL.
NAUSEA/VOMITING/DIARRHEA/RESTLESSNESS. NO VOMITING. MAY CAUSE SEVERE CHEM
PNEUMONITIS/PULMINARY EDEMA/HEMERA GE. (FATAL). GI DISTURBANCE
(IRRIT/DEPRESSION/VOMITING/DIARRHEA).**

Medical Cond Aggravated By Exposure: SKIN/EYE/HEART/CNS/RESPIRATORY
DISORDERS.**TARGETS RESPIRATORY SYSTEM/SKIN.

First Aid: EYE: FLUSH IMMED W/LOTS WATER >15 MIN LIFTING LIDS. GET MED AID
IF PAIN CONTINUES. SKIN: WASH WELL W/SOAP & WATER. REMOVE CONTAM
CLOTHES/WASH BEFORE REUSE. IF IRRIT PERSISTS GET MED AID. HIGH PRESSURE
SKIN INJECTION (SERIOUS MED EMERGENCY). GET MED AID. INHAL: GET FRESH AIR.
IF TROUBLE BREATHING GIVY OXY, ARTIF RESP/CPR IF NOT BREATHING. GET MED
AID.INGEST: NOTHING BY MOUTH IF UNCONSCIOUS.***

Handling and Disposal

=====

Spill Release Procedures: REMOVE IGNIT SOURCE. DISPERSE VAPORS W/WATER SPRAY.
ABSORB W/ABSORBENT. HANDLE ACCORDING TO ENVIRO REGS. DIKE (NO WATERWAYS).
CALL APPROP AUTHORITIES (NATIONAL RESPONSE-800-424-8802).

Waste Disposal Methods: ACCORDING TO LOCAL, STATE, FEDERAL REGULATIONS.

Handling And Storage Precautions: STORE IN TIGHTLY CLOSED CONTAINER IN COOL
DRY ISOLATED WELL-VENTILATED AREA AWAY FROM HEAT/IGNIT SOURCE/INCOMPATIBLE
MATL.USE NONSPARKING TOOLS.

Other Precautions: GROUND LINES/CONTAINERS/EQUIPMENT USED DURING TRANSFER(NO
STATIC) NO SWITCH LOADING (LOADING IN CNTNRS WHICH HELD LOW FLASHMATL).

Fire and Explosion Hazard Information

=====

Flash Point Text: 105F,41C
Autoignition Temp Text: >400F

Lower Limits: 0.9

Upper Limits: 6.0

Extinguishing Media: DRY CHEMICAL, FOAM, CARBON DIOXIDE. USE WATER TO COOL FIRE-EXPOSED CONTAINERS/STRUCTURES/PROTECT PERSONNEL.

Fire Fighting Procedures: IF NOT IGNITED VENTILATE AREA. DISPERSE GAS/VAPOR W/WATER SPRAY. DON'T ENTER ENCLOSED SPACE W/O NIOSH SCBA/FULL FACE MASK. STORED ORGANIC MATL MAY COMBUST.

Unusual Fire/Explosion Hazard: VAPORS FORM FLAMMABLE EXPLOSIVE MIXTURES W/AIR AT ROOM TEMP. MAY SPREAD TO IGNIT SOURCE/FLASHBACK/ACCUMULATE IN LOW/CONFINED AREA. MAY IGNITE BY STATIC.

=====
Control Measures
=====

Respiratory Protection: IF EXPOSURE LIMITS EXCEEDED, NIOSH EQUIPMENT. USE APPROPRIATE RESPIRATORY PROTECTION. KEEP AVAILABLE FOR NONROUTINE/EMERGENCY USE.

Ventilation: AVOID MISTS/VAPORS. MECHANICAL VENTILATION IN CONFINED AREAS. KEEP BELOW APPROPRIATE LEVELS.

Protective Gloves: NEOPRENE/NITRILE/BUTADINE RUBBER

Eye Protection: SAFETY GLASSES/CHEMICAL SPLASH GOGGLES

Other Protective Equipment: IMPERVIOUS CLOTHES/BOOTS. EYEWASH FACILITY.

Work Hygienic Practices: DISCARD CONTAMINATED LEATHER GOODS. WASH HANDS BEFORE EATING/DRINKING/SMOKING/USING TOILET.

Supplemental Safety and Health: DON'T CUT/GRIND/DRILL/WELD/REUSE EMPTY CNTNRS. PROPERLY LABEL CNTNRS. CAUTION WHEN OPERATING AT HIGH TEMP/PRESSURE (MAY IGNITE <400F). ***DON'T INDUCE VOMIT. GIVE VEGETABLE OIL/CHARCOAL SLURRY. IF VOMITING KEEP HEAD BELOW HIPS. GET MED AID. (MORE INFORMATION FOR THIS MSDS ON FILE)

=====
Physical/Chemical Properties
=====

HCC: F4

B.P. Text: 310 TO 400F

M.P/F.P Text: NA

Vapor Pres: 0.1 @100F

Vapor Density: 5.0

Spec Gravity: 0.77 @ 60F

Solubility in Water: NEGLIGIBLE

Appearance and Odor: WATER WHITE LIQUID, MILD HYDROCARBON ODOR

Percent Volatiles by Volume: MOD
=====

Reactivity Data
=====

Stability Indicator: YES

Stability Condition To Avoid: HEAT/SPARK/FLAME/STATIC/OTHER IGNIT SOURCE. NO VAPOR ACCUMULATION/SWITCH LOADING.

Materials To Avoid: STRONG OXIDIZING AGENTS (PEROXIDE DICHROMATE/PERMANGANATE/CHLORINE) STRONG ACIDS/CAUSTICS/HALLOGENS

Hazardous Decomposition Products: CARBON MONOXIDE, CARBON DIOXIDE, REACTIVE HYDROCARBONS (ALDEHYDES/AROMATICS)

Hazardous Polymerization Indicator: NO
=====

Toxicological Information
=====

=====
Ecological Information
=====

=====
MSDS Transport Information
=====

=====
Regulatory Information
=====

=====
Other Information
=====

=====
Transportation Information
=====

Responsible Party Cage: 0YFV5
Trans ID NO: 65448
Product ID: PAINT THINNER
MSDS Prepared Date: 03/05/1996
Review Date: 02/03/1997
MFN: 1
Multiple KIT Number: 0
Review IND: Y
Unit Of Issue: GL
Container QTY: 1 GL CN

=====
Detail DOT Information
=====

DOT PSN Code: LFK
DOT Proper Shipping Name: PAINT RELATED MATERIAL
DOT PSN Modifier: INCLUDING PAINT THINNING, DRYING, REMOVING, OR REDUCING
COMPOUND
Hazard Class: 3
UN ID Num: UN1263
DOT Packaging Group: III
Label: FLAMMABLE LIQUID
Special Provision: B1,B52,T7,T30
Packaging Exception: 150
Non Bulk Pack: 173
Bulk Pack: 242
Max Qty Pass: 60 L
Max Qty Cargo: 220 L
Vessel Stow Req: A

=====
Detail IMO Information
=====

IMO PSN Code: LCT
IMO Proper Shipping Name: PAINT OR PAINT RELATED MATERIAL
IMO PSN Modifier: (INCLUDING PAINT, LACQUER, ENAMEL, STAIN, SHELLAC
SOLUTIONS,
VARNISH, POLISH, LIQUID FILLER AND LIQUID LACQUER BASE) OR (INCLUDING PAINT
THINNING OR REDUCING COMPOUND) o
IMDG Page Number: 3372
UN Number: 1263
UN Hazard Class: 3.3
IMO Packaging Group: III
Subsidiary Risk Label: -
EMS Number: 3-05
MED First Aid Guide NUM: 310
=====

Detail IATA Information

=====
IATA PSN Code: SXH
IATA UN ID Num: 1263
IATA Proper Shipping Name: PAINT
IATA PSN Modifier: (INCLUDING PAINT, LACQUER, ENAMEL, STAIN, SHELLAC,
VARNISH,
POLISH, LIQUID FILLER AND LIQUID LACQUER BASE)
IATA UN Class: 3
IATA Label: FLAMMABLE LIQUID
UN Packing Group: III
Packing Note Passenger: 309
Max Quant Pass: 60L
Max Quant Cargo: 220L
Packaging Note Cargo: 310
=====

Detail AFI Information

=====
AFI PSN Code: SXH
AFI Proper Shipping Name: PAINT OR PAINT RELATED MATERIAL
AFI PSN Modifier: (INCLUDING PAINT, LACQUER, ENAMEL, STAIN, SHELLAC
SOLUTIONS,
VARNISH, POLISH, LIQUID FILLER AND LIQUID LACQUER BASE) OR (INCLUDING PAINT
THINNING OR REDUCING COMPOUNDS)
AFI Hazard Class: 3
AFI UN ID NUM: UN1263
AFI Packing Group: III
Special Provisions: P5
Back Pack Reference: A7.3
=====

HAZCOM Label

=====
Product ID: PAINT THINNER
Cage: 0YFV5
Company Name: STARTEX CHEMICAL INC
Street: 5 HACKBERRY LANE
PO Box: 3087
City: CONROE TX
Zipcode: 77305
Health Emergency Phone: 800-424-9300
Label Required IND: Y
Date Of Label Review: 10/12/1999
Status Code: A
Origination Code: G
Hazard And Precautions: EYE: SEVERE IRRIT/REDNESS/TEARING/BLURRED
VISION/CONJUNCTIVITIS. SKIN: MODERATE
IRRIT/DEFATTING/REDNESS/ITCHING/INFLAM/DERMATITIS/POSSIBLE SECONDARY
INFECTION. SYMPTOMS MAY BE DELAYED. INHAL: NASAL/RESP TRACT IRRIT. CNS
EFFECTS (EXCITATION/ EUPHORIA). DIZZINESS/DROWSINEAA/BLURRED
VISION/FATIGUE/NAUSEA/HEADACHE/LOSS*
=====

Disclaimer (provided with this information by the compiling agencies): This
information is formulated for use by elements of the Department of Defense.
The United States of America in no manner whatsoever expressly or implied
warrants, states, or intends said information to have any application, use
or viability by or to any person or persons outside the Department of
Defense nor any person or persons contracting with any instrumentality of

the United States of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the United States of America should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.