

Sigma Chemical Co.	Aldrich Chemical Co., Inc.	Fluka Chemical Corp.
P.O. Box 14508	1001 West St. Paul	1001 West St. Paul
St. Louis, MO 63178	Milwaukee, WI 53233	Milwaukee, WI 53233
Phone: 314-771-5765	Phone: 414-273-3850	Phone: 414-273-3850

SECTION 1. - - - - - CHEMICAL IDENTIFICATION- - - - -

CATALOG #: 19770
NAME: 2-CHLOROBUTANE

SECTION 2. - - - - - COMPOSITION/INFORMATION ON INGREDIENTS - - - - -

CAS #: 78-86-4
MF: C4H9CL
EC NO: 201-151-7

SYNONYMS

SEC-BUTYL CHLORIDE * 2-CHLOROBUTANE *

SECTION 3. - - - - - HAZARDS IDENTIFICATION - - - - -

LABEL PRECAUTIONARY STATEMENTS

FLAMMABLE (USA)
HIGHLY FLAMMABLE (EU)
HARMFUL
HARMFUL BY INHALATION, IN CONTACT WITH SKIN AND IF SWALLOWED.
POSSIBLE RISK OF IRREVERSIBLE EFFECTS.
POSSIBLE CARCINOGEN.
KEEP AWAY FROM SOURCES OF IGNITION - NO SMOKING.
IN CASE OF ACCIDENT OR IF YOU FEEL UNWELL, SEEK MEDICAL ADVICE
IMMEDIATELY (SHOW THE LABEL WHERE POSSIBLE).
WEAR SUITABLE PROTECTIVE CLOTHING, GLOVES AND EYE/FACE
PROTECTION.

SECTION 4. - - - - - FIRST-AID MEASURES- - - - -

IN CASE OF CONTACT, IMMEDIATELY FLUSH EYES WITH COPIOUS AMOUNTS OF
WATER FOR AT LEAST 15 MINUTES.
FLUSH SKIN WITH WATER.
IF INHALED, REMOVE TO FRESH AIR. IF NOT BREATHING GIVE ARTIFICIAL
RESPIRATION. IF BREATHING IS DIFFICULT, GIVE OXYGEN.
IF SWALLOWED, WASH OUT MOUTH WITH WATER PROVIDED PERSON IS CONSCIOUS.
CALL A PHYSICIAN.
WASH CONTAMINATED CLOTHING BEFORE REUSE.

SECTION 5. - - - - - FIRE FIGHTING MEASURES - - - - -

EXTINGUISHING MEDIA

CARBON DIOXIDE, DRY CHEMICAL POWDER OR APPROPRIATE FOAM.
WATER MAY BE EFFECTIVE FOR COOLING, BUT MAY NOT EFFECT EXTINGUISHMENT.

SPECIAL FIREFIGHTING PROCEDURES

WEAR SELF-CONTAINED BREATHING APPARATUS AND PROTECTIVE CLOTHING TO
PREVENT CONTACT WITH SKIN AND EYES.
USE WATER SPRAY TO COOL FIRE-EXPOSED CONTAINERS.
EXTREMELY FLAMMABLE.

UNUSUAL FIRE AND EXPLOSIONS HAZARDS

VAPOR MAY TRAVEL CONSIDERABLE DISTANCE TO SOURCE OF IGNITION AND
FLASH BACK.
CONTAINER EXPLOSION MAY OCCUR UNDER FIRE CONDITIONS.
FORMS EXPLOSIVE MIXTURES IN AIR.
EMITS TOXIC FUMES UNDER FIRE CONDITIONS.

SECTION 6. - - - - - ACCIDENTAL RELEASE MEASURES- - - - -

EVACUATE AREA.
SHUT OFF ALL SOURCES OF IGNITION.

WEAR SELF-CONTAINED BREATHING APPARATUS, RUBBER BOOTS AND HEAVY
RUBBER GLOVES.
COVER WITH AN ACTIVATED CARBON ADSORBENT, TAKE UP AND PLACE IN CLOSED
CONTAINERS. TRANSPORT OUTDOORS.
USE NONSPARKING TOOLS.

VENTILATE AREA AND WASH SPILL SITE AFTER MATERIAL PICKUP IS COMPLETE.

SECTION 7. - - - - - HANDLING AND STORAGE- - - - -

REFER TO SECTION 8.

SECTION 8. - - - - - EXPOSURE CONTROLS/PERSONAL PROTECTION- - - - -

CHEMICAL SAFETY GOGGLES.
NIOSH/MSHA-APPROVED RESPIRATOR.
COMPATIBLE CHEMICAL-RESISTANT GLOVES.
USE ONLY IN A CHEMICAL FUME HOOD.
SAFETY SHOWER AND EYE BATH.
DO NOT GET IN EYES, ON SKIN, ON CLOTHING.
DO NOT BREATHE VAPOR.
AVOID PROLONGED OR REPEATED EXPOSURE.
WASH THOROUGHLY AFTER HANDLING.
POSSIBLE CARCINOGEN.
KEEP TIGHTLY CLOSED.
KEEP AWAY FROM HEAT, SPARKS, AND OPEN FLAME.
STORE IN A COOL DRY PLACE.

SECTION 9. - - - - - PHYSICAL AND CHEMICAL PROPERTIES - - - - -

APPEARANCE AND ODOR

COLORLESS LIQUID

PHYSICAL PROPERTIES

BOILING POINT: 67 TO 69C

FLASHPOINT 14F
 -10C

SPECIFIC GRAVITY: 0.872

SECTION 10. - - - - - -STABILITY AND REACTIVITY - - - - -

INCOMPATIBILITIES

STRONG OXIDIZING AGENTS

STRONG BASES

HAZARDOUS COMBUSTION OR DECOMPOSITION PRODUCTS

TOXIC FUMES OF:

CARBON MONOXIDE, CARBON DIOXIDE

HYDROGEN CHLORIDE GAS

SECTION 11. - - - - - TOXICOLOGICAL INFORMATION - - - - -

ACUTE EFFECTS

HARMFUL IF SWALLOWED, INHALED, OR ABSORBED THROUGH SKIN.

MAY CAUSE EYE IRRITATION.

MAY CAUSE SKIN IRRITATION.

CHRONIC EFFECTS

POSSIBLE CARCINOGEN.

TO THE BEST OF OUR KNOWLEDGE, THE CHEMICAL, PHYSICAL, AND
TOXICOLOGICAL PROPERTIES HAVE NOT BEEN THOROUGHLY INVESTIGATED.

RTECS #: EJ6475000

BUTANE, 2-CHLORO-

TOXICITY DATA

ORL-RAT LD50:20 ML/KG AIHAAP 30,470,1969

SKN-RBT LD50:20 ML/KG AIHAAP 30,470,1969

ONLY SELECTED REGISTRY OF TOXIC EFFECTS OF CHEMICAL SUBSTANCES
(RTECS) DATA IS PRESENTED HERE. SEE ACTUAL ENTRY IN RTECS FOR
COMPLETE INFORMATION.

SECTION 12. - - - - - ECOLOGICAL INFORMATION - - - - -

DATA NOT YET AVAILABLE.

SECTION 13. - - - - - DISPOSAL CONSIDERATIONS - - - - -
BURN IN A CHEMICAL INCINERATOR EQUIPPED WITH AN AFTERBURNER AND
SCRUBBER BUT EXERT EXTRA CARE IN IGNITING AS THIS MATERIAL IS HIGHLY
FLAMMABLE.

OBSERVE ALL FEDERAL, STATE AND LOCAL ENVIRONMENTAL REGULATIONS.

SECTION 14. - - - - - TRANSPORT INFORMATION - - - - -
CONTACT FLUKA CHEMICAL COMPANY FOR TRANSPORTATION INFORMATION.

SECTION 15. - - - - - REGULATORY INFORMATION - - - - -
EUROPEAN INFORMATION

HIGHLY FLAMMABLE

HARMFUL

R 20/21/22

HARMFUL BY INHALATION, IN CONTACT WITH SKIN AND IF SWALLOWED.

R 40

POSSIBLE RISK OF IRREVERSIBLE EFFECTS.

HIGHLY FLAMMABLE

S 16

KEEP AWAY FROM SOURCES OF IGNITION - NO SMOKING.

S 45

IN CASE OF ACCIDENT OR IF YOU FEEL UNWELL, SEEK MEDICAL ADVICE
IMMEDIATELY (SHOW THE LABEL WHERE POSSIBLE).

S 36/37/39

WEAR SUITABLE PROTECTIVE CLOTHING, GLOVES AND EYE/FACE
PROTECTION.

REVIEWS, STANDARDS, AND REGULATIONS

OEL=MAK

EPA TSCA SECTION 8(B) CHEMICAL INVENTORY
ON EPA IRIS DATABASE

SECTION 16. - - - - - OTHER INFORMATION- - - - -

THE ABOVE INFORMATION IS BELIEVED TO BE CORRECT BUT DOES NOT PURPORT TO
BE ALL INCLUSIVE AND SHALL BE USED ONLY AS A GUIDE. SIGMA, ALDRICH,
FLUKA SHALL NOT BE HELD LIABLE FOR ANY DAMAGE RESULTING FROM HANDLING
OR FROM CONTACT WITH THE ABOVE PRODUCT. SEE REVERSE SIDE OF INVOICE OR
PACKING SLIP FOR ADDITIONAL TERMS AND CONDITIONS OF SALE.

COPYRIGHT 1997 SIGMA CHEMICAL CO., ALDRICH CHEMICAL CO., INC.,
FLUKA CHEMIE AG

LICENSE GRANTED TO MAKE UNLIMITED PAPER COPIES FOR INTERNAL USE ONLY

□