

J.T.BAKER INC. 222 RED SCHOOL LANE, PHILLIPSBURG, NJ 08865

M A T E R I A L S A F E T Y D A T A S H E E T

24-HOUR EMERGENCY TELEPHONE -- (908) 859-2151

CHEMTREC # (800) 424-9300 -- NATIONAL RESPONSE CENTER # (800) 424-8802

A6384 -04

ISO-AMYL ALCOHOL

PAGE: 1

EFFECTIVE: 01/04/94

ISSUED: 01/15/94

J.T.BAKER INC., 222 RED SCHOOL LANE, PHILLIPSBURG, NJ 08865

=====

SECTION I - PRODUCT IDENTIFICATION

=====

PRODUCT NAME: ISO-AMYL ALCOHOL
COMMON SYNONYMS: ISOPENTYL ALCOHOL; 3-METHYL-1-BUTANOL
CHEMICAL FAMILY: ALCOHOLS
FORMULA: (CH₃)₂CHCH₂CH₂OH
FORMULA WT.: 88.15
CAS NO.: 123-51-3
NIOSH/RTECS NO.: EL5425000
PRODUCT USE: LABORATORY REAGENT
PRODUCT CODES: 9038

=====

PRECAUTIONARY LABELING

=====

BAKER SAF-T-DATA* SYSTEM

HEALTH	-	2	MODERATE
FLAMMABILITY	-	2	MODERATE
REACTIVITY	-	1	SLIGHT
CONTACT	-	1	SLIGHT

LABORATORY PROTECTIVE EQUIPMENT

GOGGLES; LAB COAT; VENT HOOD; PROPER GLOVES; CLASS B EXTINGUISHER

U.S. PRECAUTIONARY LABELING

WARNING

HARMFUL IF SWALLOWED. COMBUSTIBLE.
KEEP AWAY FROM HEAT, SPARKS, FLAME. AVOID CONTACT WITH EYES, SKIN, CLOTHING.
KEEP IN TIGHTLY CLOSED CONTAINER. WASH THOROUGHLY AFTER HANDLING. IN CASE OF
FIRE, USE WATER SPRAY, ALCOHOL FOAM, DRY CHEMICAL, OR CARBON DIOXIDE. FLUSH
SPILL AREA WITH WATER SPRAY.

INTERNATIONAL LABELING

AVOID CONTACT WITH EYES. AFTER CONTACT WITH SKIN, WASH IMMEDIATELY WITH
PLENTY OF WATER. KEEP CONTAINER TIGHTLY CLOSED.

SAF-T-DATA* STORAGE COLOR CODE: RED (FLAMMABLE)

CONTINUED ON PAGE: 2

J.T.BAKER INC. 222 RED SCHOOL LANE, PHILLIPSBURG, NJ 08865
M A T E R I A L S A F E T Y D A T A S H E E T
24-HOUR EMERGENCY TELEPHONE -- (908) 859-2151
CHEMTREC # (800) 424-9300 -- NATIONAL RESPONSE CENTER # (800) 424-8802

A6384 -04
EFFECTIVE: 01/04/94

ISO-AMYL ALCOHOL

PAGE: 2
ISSUED: 01/15/94

=====

SECTION II - COMPONENTS

=====

<u>COMPONENT</u>	<u>CAS NO.</u>	<u>WEIGHT %</u>	<u>OSHA/PEL</u>	<u>ACGIH/TLV</u>
ISO-AMYL ALCOHOL	123-51-3	90-100	100 PPM	100 PPM

=====

SECTION III - PHYSICAL DATA

=====

BOILING POINT: 132 C (269 F)
(AT 760 MM HG)

VAPOR PRESSURE (MMHG): 2.0
(20 C)

MELTING POINT: -117 C (-178 F)
(AT 760 MM HG)

VAPOR DENSITY (AIR=1): 3.0

SPECIFIC GRAVITY: 0.81
(H2O=1)

EVAPORATION RATE: N/A

SOLUBILITY (H2O): MODERATE (1-10%)

% VOLATILES BY VOLUME: 100
(21 C)

PH: N/A

ODOR THRESHOLD (P.P.M.): N/A

PHYSICAL STATE: LIQUID

COEFFICIENT WATER/OIL DISTRIBUTION: N/A

APPEARANCE & ODOR: COLORLESS LIQUID. DISAGREEABLE ODOR.

=====

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

=====

FLASH POINT (CLOSED CUP): 42 C (109 F)

NFPA 704M RATING: 1-2-0

AUTOIGNITION TEMPERATURE: 349 C (662 F)

FLAMMABLE LIMITS: UPPER - 9.0 % LOWER - 1.2 %

FIRE EXTINGUISHING MEDIA

USE ALCOHOL FOAM, DRY CHEMICAL OR CARBON DIOXIDE. (WATER MAY BE INEFFECTIVE.)

SPECIAL FIRE-FIGHTING PROCEDURES

FIREFIGHTERS SHOULD WEAR PROPER PROTECTIVE EQUIPMENT AND SELF-CONTAINED BREATHING APPARATUS WITH FULL FACEPIECE OPERATED IN POSITIVE PRESSURE MODE. MOVE CONTAINERS FROM FIRE AREA IF IT CAN BE DONE WITHOUT RISK. USE

CONTINUED ON PAGE: 3

J.T.BAKER INC. 222 RED SCHOOL LANE, PHILLIPSBURG, NJ 08865

M A T E R I A L S A F E T Y D A T A S H E E T

24-HOUR EMERGENCY TELEPHONE -- (908) 859-2151

CHEMTREC # (800) 424-9300 -- NATIONAL RESPONSE CENTER # (800) 424-8802

A6384 -04

ISO-AMYL ALCOHOL

PAGE: 3

EFFECTIVE: 01/04/94

ISSUED: 01/15/94

=====

SECTION IV - FIRE AND EXPLOSION HAZARD DATA (CONTINUED)

=====

WATER TO KEEP FIRE-EXPOSED CONTAINERS COOL.

UNUSUAL FIRE & EXPLOSION HAZARDS

VAPORS MAY FLOW ALONG SURFACES TO DISTANT IGNITION SOURCES AND FLASH BACK.
CLOSED CONTAINERS EXPOSED TO HEAT MAY EXPLODE. CONTACT WITH STRONG
OXIDIZERS MAY CAUSE FIRE.

TOXIC GASES PRODUCED

NONE IDENTIFIED

EXPLOSION DATA-SENSITIVITY TO MECHANICAL IMPACT

NONE IDENTIFIED.

EXPLOSION DATA-SENSITIVITY TO STATIC DISCHARGE

NONE IDENTIFIED.

=====

SECTION V - HEALTH HAZARD DATA

=====

THRESHOLD LIMIT VALUE (TLV/TWA): 360 MG/M (100 PPM)

SHORT-TERM EXPOSURE LIMIT (STEL): 450 MG/M (125 PPM)

PERMISSIBLE EXPOSURE LIMIT (PEL): 360 MG/M (100 PPM)

TOXICITY OF COMPONENTS

ORAL RAT LD50 FOR ISO-AMYL ALCOHOL

1300 MG/KG

SKIN RABBIT LD50 FOR ISO-AMYL ALCOHOL

3970 MG/KG

CARCINOGENICITY: NTP: NO IARC: NO

Z LIST: NO OSHA REG: NO

CARCINOGENICITY

NONE IDENTIFIED.

REPRODUCTIVE EFFECTS

NONE IDENTIFIED.

J.T.BAKER INC. 222 RED SCHOOL LANE, PHILLIPSBURG, NJ 08865
M A T E R I A L S A F E T Y D A T A S H E E T
24-HOUR EMERGENCY TELEPHONE -- (908) 859-2151
CHEMTREC # (800) 424-9300 -- NATIONAL RESPONSE CENTER # (800) 424-8802

A6384 -04

ISO-AMYL ALCOHOL

PAGE: 4

EFFECTIVE: 01/04/94

ISSUED: 01/15/94

=====

SECTION V - HEALTH HAZARD DATA (CONTINUED)

=====

EFFECTS OF OVEREXPOSURE

INHALATION: NONE IDENTIFIED

SKIN CONTACT: NONE IDENTIFIED

EYE CONTACT: NONE IDENTIFIED

SKIN ABSORPTION: NONE IDENTIFIED

INGESTION: NONE IDENTIFIED

CHRONIC EFFECTS: NONE IDENTIFIED

TARGET ORGANS

NONE IDENTIFIED

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE

NONE IDENTIFIED

PRIMARY ROUTES OF ENTRY

NONE INDICATED

EMERGENCY AND FIRST AID PROCEDURES

INGESTION: CALL A PHYSICIAN. IF SWALLOWED, IF CONSCIOUS, IMMEDIATELY INDUCE VOMITING.

INHALATION: IF INHALED, REMOVE TO FRESH AIR. IF NOT BREATHING, GIVE ARTIFICIAL RESPIRATION. IF BREATHING IS DIFFICULT, GIVE OXYGEN.

SKIN CONTACT: IN CASE OF CONTACT, FLUSH SKIN WITH WATER.

EYE CONTACT: IN CASE OF EYE CONTACT, IMMEDIATELY FLUSH WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES.

SARA/TITLE III HAZARD CATEGORIES AND LISTS

ACUTE: YES CHRONIC: YES FLAMMABILITY: YES PRESSURE: NO REACTIVITY: NO

EXTREMELY HAZARDOUS SUBSTANCE: NO

CONTINUED ON PAGE: 5

J.T.BAKER INC. 222 RED SCHOOL LANE, PHILLIPSBURG, NJ 08865
M A T E R I A L S A F E T Y D A T A S H E E T
24-HOUR EMERGENCY TELEPHONE -- (908) 859-2151
CHEMTREC # (800) 424-9300 -- NATIONAL RESPONSE CENTER # (800) 424-8802

A6384 -04
EFFECTIVE: 01/04/94

ISO-AMYL ALCOHOL

PAGE: 6
ISSUED: 01/15/94

=====

SECTION VIII - INDUSTRIAL PROTECTIVE EQUIPMENT (CONTINUED)

=====

RESPIRATORY PROTECTION: RESPIRATORY PROTECTION REQUIRED IF AIRBORNE
CONCENTRATION EXCEEDS TLV. AT CONCENTRATIONS UP TO
1000 PPM, A CHEMICAL CARTRIDGE RESPIRATOR WITH ORGANIC
VAPOR CARTRIDGE IS RECOMMENDED. ABOVE THIS LEVEL, A
SELF-CONTAINED BREATHING APPARATUS IS RECOMMENDED.

EYE/SKIN PROTECTION: SAFETY GOGGLES, PROPER GLOVES ARE RECOMMENDED.

=====

SECTION IX - STORAGE AND HANDLING PRECAUTIONS

=====

SAF-T-DATA* STORAGE COLOR CODE: RED (FLAMMABLE)

STORAGE REQUIREMENTS

KEEP CONTAINER TIGHTLY CLOSED. STORE IN A COOL, DRY, WELL-VENTILATED,
FLAMMABLE LIQUID STORAGE AREA OR CABINET.

=====

SECTION X - TRANSPORTATION DATA AND ADDITIONAL INFORMATION

=====

DOMESTIC (D.O.T.)

PROPER SHIPPING NAME: AMYL ALCOHOLS
HAZARD CLASS: 3
UN/NA: UN1105
LABELS: 3 FLAMMABLE LIQUID
REGULATORY REFERENCES: 49CFR 172.101

PACKAGING GROUP: III

INTERNATIONAL (I.M.O.)

PROPER SHIPPING NAME: AMYL ALCOHOLS
HAZARD CLASS: 3.3
UN: UN1105 MARINE POLLUTANTS: NO
LABELS: FLAMMABLE LIQUID
REGULATORY REFERENCES: 49CFR PART 176; IMDG CODE

I.M.O. PAGE: 3308
PACKAGING GROUP: III

CONTINUED ON PAGE: 7

J.T.BAKER INC. 222 RED SCHOOL LANE, PHILLIPSBURG, NJ 08865

M A T E R I A L S A F E T Y D A T A S H E E T

24-HOUR EMERGENCY TELEPHONE -- (908) 859-2151

CHEMTREC # (800) 424-9300 -- NATIONAL RESPONSE CENTER # (800) 424-8802

A6384 -04

ISO-AMYL ALCOHOL

PAGE: 7

EFFECTIVE: 01/04/94

ISSUED: 01/15/94

=====

SECTION X - TRANSPORTATION DATA AND ADDITIONAL INFORMATION (CONTINUED)

=====

AIR (I.C.A.O.)

PROPER SHIPPING NAME: AMYL ALCOHOLS

HAZARD CLASS: 3.3

UN: UN1105

PACKAGING GROUP: III

LABELS: FLAMMABLE LIQUID

REGULATORY REFERENCES: 49CFR PART 175; ICAO=== WE BELIEVE THE TRANSPORTATION DATA AND REFERENCES CONTAINED HEREIN TO BE FACTUAL AND THE OPINION OF QUALIFIED EXPERTS. THE DATA IS MEANT AS A GUIDE TO THE OVERALL CLASSIFICATION OF THE PRODUCT AND IS NOT PACKAGE SIZE SPECIFIC, NOR SHOULD IT BE TAKEN AS A WARRANTY OR REPRESENTATION FOR WHICH THE COMPANY ASSUMES LEGAL RESPONSIBILITY.=== THE INFORMATION IS OFFERED SOLELY FOR YOUR CONSIDERATION, INVESTIGATION, AND VERIFICATION. ANY USE OF THE INFORMATION MUST BE DETERMINED BY THE USER TO BE IN ACCORDANCE WITH APPLICABLE FEDERAL, STATE, AND LOCAL LAWS AND REGULATIONS. SEE SHIPPER REQUIREMENTS 49CFR 171.2, CERTIFICATION 172.204, AND EMPLOYEE TRAINING 49 CFR 173.1(B).

U.S. CUSTOMS HARMONIZATION NUMBER: 29051500005

=====

NOTE: WHEN HANDLING LIQUID PRODUCTS, SECONDARY PROTECTIVE CONTAINERS MUST BE USED FOR CARRYING.

-N/A = NOT APPLICABLE, OR NOT AVAILABLE;

N/E = NOT ESTABLISHED.-

THE INFORMATION IN THIS MATERIAL SAFETY DATA SHEET MEETS THE REQUIREMENTS OF THE UNITED STATES OCCUPATIONAL SAFETY AND HEALTH ACT AND REGULATIONS PROMULGATED THEREUNDER (29 CFR 1910.1200 ET. SEQ.) AND THE CANADIAN WORKPLACE HAZARDOUS MATERIALS INFORMATION SYSTEM. THIS DOCUMENT IS INTENDED ONLY AS A GUIDE TO THE APPROPRIATE PRECAUTIONARY HANDLING OF THE MATERIAL BY A PERSON TRAINED IN, OR SUPERVISED BY A PERSON TRAINED IN, CHEMICAL HANDLING. THE USER IS RESPONSIBLE FOR DETERMINING THE PRECAUTIONS AND DANGERS OF THIS CHEMICAL FOR HIS OR HER PARTICULAR APPLICATION. DEPENDING ON USAGE, PROTECTIVE CLOTHING INCLUDING EYE AND FACE GUARDS AND RESPIRATORS MUST BE USED TO AVOID CONTACT WITH MATERIAL OR BREATHING CHEMICAL VAPORS/FUMES.

EXPOSURE TO THIS PRODUCT MAY HAVE SERIOUS ADVERSE HEALTH EFFECTS. THIS CHEMICAL MAY INTERACT WITH OTHER SUBSTANCES. SINCE THE POTENTIAL USES ARE SO VARIED, BAKER CANNOT WARN OF ALL OF THE POTENTIAL DANGERS OF USE

CONTINUED ON PAGE: 8

J.T.BAKER INC. 222 RED SCHOOL LANE, PHILLIPSBURG, NJ 08865
M A T E R I A L S A F E T Y D A T A S H E E T
24-HOUR EMERGENCY TELEPHONE -- (908) 859-2151
CHEMTREC # (800) 424-9300 -- NATIONAL RESPONSE CENTER # (800) 424-8802

A6384 -04
EFFECTIVE: 01/04/94

ISO-AMYL ALCOHOL

PAGE: 8
ISSUED: 01/15/94

=====

OR INTERACTION WITH OTHER CHEMICALS OR MATERIALS. BAKER WARRANTS THAT THE CHEMICAL MEETS THE SPECIFICATIONS SET FORTH ON THE LABEL. BAKER DISCLAIMS ANY OTHER WARRANTIES, EXPRESSED OR IMPLIED WITH REGARD TO THE PRODUCT SUPPLIED HEREUNDER, ITS MERCHANTABILITY OR ITS FITNESS FOR A PARTICULAR PURPOSE.

THE USER SHOULD RECOGNIZE THAT THIS PRODUCT CAN CAUSE SEVERE INJURY AND EVEN DEATH, ESPECIALLY IF IMPROPERLY HANDLED OR THE KNOWN DANGERS OF USE ARE NOT HEEDDED. READ ALL PRECAUTIONARY INFORMATION. AS NEW DOCUMENTED GENERAL SAFETY INFORMATION BECOMES AVAILABLE, BAKER WILL PERIODICALLY REVISE THIS MATERIAL SAFETY DATA SHEET.

NOTE: CHEMTREC, CANUTEC, AND NATIONAL RESPONSE CENTER EMERGENCY TELEPHONE NUMBERS ARE TO BE USED ONLY IN THE EVENT OF CHEMICAL EMERGENCIES INVOLVING A SPILL, LEAK, FIRE, EXPOSURE, OR ACCIDENT INVOLVING CHEMICALS. ALL NON-EMERGENCY QUESTIONS SHOULD BE DIRECTED TO CUSTOMER SERVICE (1-800-JTBAKER) FOR ASSISTANCE.

COPYRIGHT 1994 J.T.BAKER INC.
* TRADEMARKS OF J.T.BAKER INC.

===
APPROVED BY QUALITY ASSURANCE DEPARTMENT.